



General Trading Limited Liability Company

Keeping you safe...



Premnet Free Zone Company (UAE)
Sharjah International Airport Free Zone
Office Q3-119
Sharjah, UEA
+971 (50) 694 6139
info@premnet-fzc.com

For further information please visit
www.premnet-fzc.com



TEM - R100
SNR = 28dB



TEM - Y100
SNR = 28dB

Earmuff (Folding Type)

TEM - R100/ Y100 SNR = 28dB

CE EN352-1 ANSI S3.19

- * Light weight non-metallic foldable earmuff for easy carry purpose
- * Soft foam cushions for all day comfort
- * Unique design of adjustable headband to fit all sizes
- * Foam filled pads for a snug fit and excellent attenuation
- * SNR = 28dB
- * Meets CE EN352-1 & ANSI S3.19 standards



TEM - Y200 Earmuff
SNR = 27dB

Earmuff

TEM - Y200 SNR = 27dB

CE EN352-1 ANSI S3.19

- * Adjustable padded headband for extra comfort
- * Large foam filled cup offer excellent attenuation, soft wide foam cushions for all day comfort
- * Meets CE EN352-1 & ANSI S3.19 standards
- * SNR = 27 dB



Earmuff (Folding Type)

TEM - B 300 SNR = 25dB

CE EN352-1 ANSI S3.19

- * Three alternative wearing positions
- * Soft padded headband
- * Non-allergenic soft cushion for all day comfort
- * Large foam filled cup for good attenuation
- * Over the head style earmuff
- * Meets CE EN352-1 & ANSI S3.19 standards
- * SNR = 25dB



TEM - Y600 Earmuff
SNR = 27dB

Earmuff (Folding Type)

TEM - Y600/R600 SNR = 28dB

CE EN352-1 ANSI S3.19

- * Durable Acrylonitrile Butadiene Styrene (ABS) Cups
- * Suitable for sawmills, forestry equipment and compressed air equipment
- * Soft foam cushion for all day comfort
- * Twin point mounted cups for perfect fit giving a good seal against noise
- * Meets CE EN352-1 & ANSI S3.19 standards
- * SNR = 27dB

TEM - R600 Earmuff
SNR = 27dB



TEM - R615-S Earmuff
SNR = 26dB



TEM - R615 Earmuff
SNR = 26dB

Earmuff

TEM - R615-S/R615 SNR = 27dB

CE EN352-1 ANSI S3.19

- * Three alternative wearing positions
- * Soft padded headband
- * Non-allergenic soft cushion fo all day comfort
- * Large foam filled cup for good attenuation
- * Over the head style earmuff
- * Meets CE EN352-1 & ANSI S3.19 standards
- * SNR = 26dB & NNR = 26.9dB